

SECOMATIC

DRY PROCESS MACHINES



SECOMATIC

The automatic conveyor dryer for hanging garments

Secomatic revolutionizes the way we think about drying garments, thanks to its automatic loading and hanging system. Hanging garments drastically increases drying efficiency and product quality, and Secomatic allows you to reach the highest drying quality in the most sustainable way.

Features



SHRINKAGE
CONTROL



AUTOMATIC
UNLOADING



FOUR TIMES
MORE



LESS/NO
CHEMICALS

Secomatic has no shrinking effect on the garments, ensuring a uniform and controlled shrinkage across the whole production. Also, this allows customers to significantly save on fabric, as they can use the exact amount needed for each size without adding extra to compensate for the shrinkage effect.

Secomatic is equipped with an automatic unloading system that directly brings the garments either to a designated basket or inside the HF Station if present.

PRODUCTIVE

Secomatic alone can produce up to 16.000 pieces per day (4 times the productivity of a standard large tumble dryer).

The absence of friction during the drying process; allows you to reduce or eliminate the use of ozone and other chemicals to clean/finish garments, contributing to the Secomatic being the most sustainable dryer in the market.

Technical specs



Dimensions

Length: 16000 mm
Width: 4000 mm
Height: 3440 mm
Weight: 9200 kg



Productivity


650/730 pcs/h
300g water/trouser




Power Supply

Steam / Gas / Diesel

Models



SECOMATIC LAB



SECOMATIC + HF ACTIVE


Tutte le macchine per Drying Section



SECOMATIC

The automatic conveyor dryer for hanging garments

Secomatic revolutionizes the way we think about drying garments, thanks to its automatic loading and hanging system. Hanging garments drastically increases drying efficiency and product quality, and Secomatic allows you to reach the highest drying quality in the most sustainable way.



HF

The automatic rotatory dryer.


HF is an automatic rotatory dryer. It can be directly connected to the Secomatic to finish off the drying process while softening the garments.



MPM

The Mold Preventing Machine

A Mold Preventing Machine designed to be implemented in the drying system of garments; right before the packaging phase. Most brands have strict requirements regarding the humidity left in the garments when packing them. MPM removes the excessive humidity to prevent mold from forming once the garments are packed.



[Company](#)

[Technologies](#)

[Customer care](#)

[Contact us](#)



© 2023 MACTEC